

# Adult speech and language therapy services

Swallowing after Anterior Cervical Spine Surgery

## What is Anterior Cervical Spine Surgery?

- Anterior refers to the approach that the surgeon will take when he performs the operation. In your case this means he will be operating from the front of your neck – just to one side of your voice box (which is behind your Adam's apple).
- Cervical refers to the vertebrae (bones) at the top of your spine – the cervical spine.
- There are seven cervical vertebrae running from the bottom of your skull to just between your shoulder blades.
- You will be having surgery on one or more of these vertebrae.
- Your surgeon will explain your individual operation to you.

## Are swallowing problems common after this type of surgery?

- Yes - during the first few days swallowing problems are very common.
- It is unusual for these swallowing problems to continue beyond 6 – 8 weeks after surgery.
- You may be at greater risk of developing swallowing problems if your surgery involves two or more vertebrae.
- Difficulties swallowing hard, dry or crumbly foods (eg toast, pastry, apples, cakes, crisps, biscuits).
- Difficulties swallowing foods with skins or husks (eg grapes, tomatoes, peas, beans, sweetcorn).
- Difficulties with mixed consistencies (eg soluble medicine which can be gritty, fruit juice or soups with bits, cereals floating in milk).
- Difficulty triggering a strong swallow.
- Coughing after eating and drinking.
- A sensation of food sticking in the throat.

## What causes these swallowing difficulties?

- Bruising around throat/neck.
- Swelling/inflammation inside your throat which may cause pressure against your gullet/swallowing tube (oesophagus).

- Scar formation.
- Pain on swallowing.
- For some, the position of screws/plate or wearing a hard collar may interfere with swallowing in the early weeks.
- If your surgery involves grafting then movement of the graft may affect swallowing.

**The nursing and medical staff will be there to help you with any problems you may experience**

### **How can your speech and language therapist (SALT) help you?**

- S/he will assess your eating and drinking. It might be necessary to take an x-ray of your swallow to identify any problems you are experiencing.
- Following assessment the SALT will offer advice on the best way to eat and drink safely.

### **What can help?**

- Sit upright for all eating and drinking.
- Don't rush drinks or meals.
- Avoid distractions so you can concentrate on swallowing.
- Choose soft, easy swallow options from the menu – eg porridge, yoghurt, crustless sandwiches with soft, moist fillings, scrambled eggs, soft pasta with smooth sauces etc).
- Add extra gravy, sauce, custard etc.
- Sometimes pureed food may be necessary for a few days immediately after surgery.
- Avoid mixed consistencies eg soups and juices with bits in.
- Sometimes it may be necessary to drink thickened drinks such as smoothies.
- If swallowing is painful you may need to take your pain killers about 20 minutes before eating or drinking.
- If you find swallowing tablets difficult then ask your GP to prescribe them in a liquid or crushable form.

## What will happen when you go home?

- If your swallowing problems are persisting your SALT will refer you to a local speech and language therapist for follow up.
- Your SALT will give you written advice about how best to continue with safe eating and drinking
- Your SALT will telephone you at home to see how you are managing and you can phone him/her at any time after discharge if you have any worries about your swallowing.

## Contact us

### Speech & Language Therapy (Adults)

Hurstwood Park Neurological Centre  
Princess Royal Hospital, Lewes Road  
Haywards Heath, West Sussex RH16 4EX  
01444 441881 Ext: 8152  
[mandy.mcleod@bsuh.nhs.uk](mailto:mandy.mcleod@bsuh.nhs.uk)

### Feedback

We appreciate hearing what we are doing well and where we could make improvements. Please send your comments addressed to:

### Amanda McLeod, Speech & Language Therapy Manager (Adults)

Hurstwood Park Neurology Centre, Princess Royal Hospital, Haywards Heath, RH16 4EX

### The Patient Advice and Liaison Service (PALS)

The Patient Advice and Liaison Service (PALS) can give you information, help and advice with any problems you may have while using our services.

You can contact the PALS team by telephone between 10am and 4pm on:

01444 441881 Ext. 5909 or by email: [pals@bsuh.nhs.uk](mailto:pals@bsuh.nhs.uk)



© Brighton and Sussex University Hospitals NHS Trust

#### Disclaimer

The information in this leaflet is for guidance purposes only and is in no way intended to replace professional clinical advice by a qualified practitioner.

Ref number: 569

Publication Date: October 2013      Review Date: October 2015

If you do not understand this leaflet, we can arrange for an interpreter.

إذا كنت لا تستطيع فهم محتويات هذه النشرة فيمكننا عمل الترتيبات لتوفير مترجم شفوي لك.

এই প্ৰচাৰপুস্তিকাটি যদি আপনি বুঝতে না পাবেন, তবে আপনার জন্য আমরা একজন অনুবাদকের ব্যবস্থা করে দিতে পারি

如你唔明白本單張的內容，我們可安排口譯員服務。

如你唔明白本傳單的內容，我們可安排口譯員服務。

اگر مندرجات این جزوه را نمیفهمید، ما می‌توانیم مترجم در اختیارتان بگذاریم.

Jeśli masz trudności w zrozumieniu tej ulotki, możemy zorganizować tłumacza.