

Post cardiac surgery

Preventing wound infections after cardiac surgery

Level 8a West, Millennium Building
01273 696955 Ext. 65536

After leaving the hospital, please follow the advice of your healthcare team to limit the risk of infection.

- Most operations involve making cuts (wounds) in the skin. Most wounds heal without causing problems. A wound can allow bacteria from the skin or environment to get into the body and this can cause an infection
- The wound in the centre of your chest is referred to as the 'chest wound'
- Typically with cardiac surgery you may have an additional wound on your arm or leg

Taking a shower with chest and leg/arm wounds

- If you have a dressing in place, do not get it wet
- Talk to your practice nurse/GP for advice on managing your dressing

If your wound is healed

- Showering is preferable to taking a bath
- It is OK to let warm water run over your healed wound



After the shower or bath, dry yourself thoroughly. Pat your wounds dry, making sure not to rub them



Using shower gel/Liquid soap is preferable to bars of soap

Until your wounds have completely healed:



Do not share towels with other members of the household



Do not apply lotion, powder or ointments to the wounds



Do not use perfumed soap or perfumed body wash as this can irritate the wounds



Your healthcare provider will look for these signs of infection, which include:

- Increased swelling or oozing from the wound
- Increased pain or soreness
- The wound has begun to open/gape
- Redness around the wound
- Feeling hotter along the wound line
- Fever (greater than 101 degrees Fahrenheit or 38 degrees Centigrade)

If you notice any of these signs or if you are not sure that your wounds are healing properly, it is important that you contact the hospital as soon as possible for advice.

**Level 8a West, Millennium Building
01273 696955 Ext. 65536**

Post-operative wound care

- If you have a dressing in place do not interfere or pick at it
- **Do not** touch or peek at wounds while they are healing, this can increase the chances of infection
- Follow a nutritious diet for the first 4 weeks to promote wound healing and then follow a healthy diet there after



Remember: there are times when no matter how hard you try to prevent infection or take proper care of your surgical wound(s), an infection can develop.

If in doubt please contact Level 8a West ward.

Level 8a West Millennium Building 01273 696955 Ext. 65536

Other people you can call:

- District nurse if one is visiting you post discharge
- Your practice nurse at your local GP
- Your local GP

This leaflet is intended for patients receiving care in Brighton & Hove or Haywards Heath

© University Hospitals Sussex NHS Foundation Trust

Disclaimer

The information in this leaflet is for guidance purposes only and is in no way intended to replace professional clinical advice by a qualified practitioner.

Ref number: 556.4

Publication Date: May 2021

Review Date: May 2024

